

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	(hierarchical adj1 level) same \$dsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:56
S2	5	(hierarchical adj1 level) same network same (configuration adj1 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:59
S3	1900	(fault or failure) same command same rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:00
S4	25	(fault or failure) same command same (chang\$3 or updat\$3) with rout\$3 with (information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:05
S5	811	(fault or failure) same ((chang\$3 or updat\$3) with rout\$3 with (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:11
S6	2	S5 same hierarch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:06
S7	375	S5 same network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:07
S8	27	S5 same network\$1 same level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:11
S9	156	(fault or failure) same ((chang\$3 or updat\$3) with rout\$3 with (information or data)) same router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:31
S10	307	(chang\$3 or updat\$3) with (configur\$4 adj1 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:39

S11	92	@ad<"20001229" and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 10:01
S12	11	"370"/\$.ccls. and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 10:02
S13	14121	(chang\$3 or updat\$3) with (control adj1 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:52
S14	9005	@ad<"20001229" and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:44
S15	751	"370"/\$.ccls. and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:40
S16	10	(hierarch\$4 adj1 level) same S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:43
S17	71	hierarch\$4 same S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:44
S18	44	@ad<"20001229" and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:54
S19	658	(chang\$3 or updat\$3) with (control adj1 (information or data)) with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:46
S20	51	"370"/\$.ccls. and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:53

S21	5096	(base adj1 station) with command\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:51
S22	10	(chang\$3 or updat\$3) with (control adj1 (information or data)) with S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:49
S23	312	S13 and (base adj1 station) and mobile and command\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:52
S24	126	"370"/\$.ccls. and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:53
S25	59	@ad<"20001229" and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:01
S27	5	"6366582"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:07
S28	4665	(rout\$3 adj1 table) same (updat\$3 or chang\$3 or modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 10:03
S29	2073	@ad<"20001229" and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 10:00
S30	2073	@ad<"20001229" and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 10:01
S31	1092	"370"/\$.ccls. and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 10:02

S32	28	(rout\$3 adj1 table) same ((updat\$3 or chang\$3 or modif\$4) adj1 (command or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 10:04
-----	----	--	---	----	----	------------------